
GRINDING MACHINES FOR FLAT SURFACES



MAIN CHARACTERISTICS:

- ✓ STANDARD WORKING WIDES: 150, 200 & 300 MM.
- ✓ MACHINE IN VERSIONS FROM 1 UNTIL 8 HEADS.
- ✓ GRINDING HEADS WITH ADJUSTABLE SYSTEM OF PNEUMATIC FLOATING.
- ✓ BELT STRUT OF MECHANICAL TYPE AND OPTIONALLY PNEUMATIC WITH AUTOMATIC DETECTION SYSTEM OF SANDPAPER BELT BREAKING.
- ✓ POSSIBILITY OF COUPLING ON THE HEADS, OSCILLATION BELT STRUTS.
- ✓ AUTOMATIC RETURN TRANSPORT.
- ✓ POSSIBILITY OF WORKING IN DRY OR WITH COOLING.
- ✓ THE PROTECTIN HOODS CAN BE OPTIONALLY ADAPTED FOR POLISHING PROCESSES WITH DISCS OF 350 MM. AS A MAXIMUM DIAMETER.
- ✓ LATERAL GUIDING SYSTEM OF THE PIECES DURING THE PROCESS, ADJUSTABLE THROUGH COMMAND.
- ✓ VERTICAL TIGHTENING SYSTEM BETWEEN HEADS.
- ✓ AUTOMATIC RETURN ROLLER TABLES FOR PROFILES UNTIL 6 M.

